

*Shock absorber KAWASAKI Z125*

***KA 6102***

*Spare Parts List*



ADVANCED SUSPENSION TECHNOLOGY

## SAFETY PRECAUTIONS

### **⚠ Warning!**

The shock absorber/front fork/steering damper is an important part of the vehicle and will affect the stability.

### **⚠ Warning!**

After installing the Öhlins product, take a test ride at low speed to make sure your vehicle has maintained stability.

### **⚠ Warning!**

Some of Öhlins products contain pressurized nitrogen gas (N<sub>2</sub>). Do not open, service or modify pressurized products without proper education (approved Öhlins dealer/distributor) and proper tools.

### **👁 Note!**

Read and ensure you understand the information in this manual and other technical documents provided by Öhlins, before you use the product.

### **👁 Note!**

Öhlins Racing AB can not be held responsible for any damage to the shock absorber/front fork/steering damper, vehicle, other property or injury to persons, if the instructions for mounting, usage and maintenance are not obeyed.

### **⚠ Warning!**

If the suspension makes an abnormal noise, or the function is irregular, or if you notice any leakage from the product, stop the vehicle immediately and return the product to an Öhlins Service Centre.

### **⚠ Warning!**

The product warranty shall only apply if the product has been operated and maintained in accordance with recommendations in this manual. If you have any questions regarding usage, service, inspection and/or maintenance contact Öhlins.

### **👁 Note!**

When working with the Öhlins product, read the Vehicle Service Manual.

### **⚠ Warning!**

This product was developed and designed exclusively for a specific vehicle model and shall only be installed on the intended vehicle model in its original condition as delivered from the vehicle manufacturer.

## Contents

Figure 1 - Body assy .....	3
Figure 2 - Shaft assy .....	4
Figure 3 - Damping assy+Seal head assy .....	5
Figure 4 - Compression valve assy .....	6
Figure 5- Reservoir assy .....	7

## SAFETY SYMBOLS

In this manual, mounting instructions and other technical documents, important information concerning safety is distinguished by the following symbols:



The Safety Alert Symbol means: Warning! Your safety is involved.

### **⚠ Warning!**

The Warning Symbol means: Failure to follow warning instructions can result in severe or fatal injury to anyone working with, inspecting or using the shock absorber, or to bystanders.

### **👉 Caution!**

The Caution Symbol means: Special precautions must be taken to avoid damage to the shock absorber.


### **👁 Note!**

The Note Symbol indicates information that is important regarding procedures.

© Öhlins Racing AB. All rights reserved.  
Any reprinting or unauthorized use without the written permission of Öhlins Racing AB is prohibited.

# SPL KA 6102


Figure 1 - Body assy



Pos	Part No	Pcs	Description	Notes
1-1	01218-40	2	Spacer, ball joint	
1-2	00534-01	2	Seal ball joint 16/26/2.7	
1-3	00536-13	1	Ball joint	
1-4	03280-74	1	Cyl head	
1-5	00382-07	1	Screw	
1-6	00338-02	1	O-ring 38x2.5	
1-7	00438-33	1	O-ring 5.6x1.6	
1-8	64300-30	1	Cylinder tube	
1-9	00128-01	1	Circlip	
1-10	63065-02	1	End cap	
1-11	60155-02	1	Lock nut	
1-12	60154-02	1	Spring platform	
1-13	60281-23	1	Spring 145 N/mm	Installed spring
	60282-08	1	Spring 160 N/mm	Alternative spring
1-14	00116-03	1	Spring clip	

# SPL KA 6102


Figure 2 - Shaft assy



Pos	Part No	Pcs	Description	Notes
3-1	60160-04	1	Jet 1.0	
3-2	01055-03	1	Adj.needle	
3-3	00338-14	1	O-ring 3.1x1.6	
3-4	03062-14	1	Shaft 14/118	
3-5	00163-18	1	Bump rubber	
3-6	60220-31	1	End eye 14/30/26	
3-7	00536-13	1	Ball joint 14/26/15	
3-8	00534-01	2	Seal ball joint 16/26/2.7	
3-9	01218-40	2	Spacer 12x25	

# SPL KA 6102


Figure 3- Damping assy+Seal head assy



Pos	Part No	Pcs	Description	Notes
2-1	00539-01	1	Lock nut	
2-2	00578-01	1	Washer	
2-3	00519-05	1	Stop washer	
2-4	-		Rebound shim	See spec.
2-5	03078-01	1	Piston ring	
2-6	03377-40	1	Piston	
2-7	-		Compression shim	See spec.
2-8	03068-01	1	Valve stop	
2-9	00436-01	1	Circlip	
2-10	03269-03	1	Spacer Red	
2-11	03164-07		Seal head assy	
2-12	03067-02	1	Stop rubber	
2-13	04752-02	1	Washer	
2-14	04717-02	1	Seal	
2-15	01032-09	1	Back-up ring	
2-16	04729-02	1	Shim	
2-17	63064-03	1	Seal head 14/36	
2-18	00338-09	1	O-ring 29.30x3.6	
2-19	01056-12	1	Bushing 14/16/12	
2-20	03070-02	1	Scraper	

# SPL KA 6102


Figure 4 - Compression valve assy



Pos	Part No	Pcs	Description	Notes
4-1	00828-01	1	Screw M3x8	
4-2	00820-02	1	Knob adj.	
4-3	00884-07	2	Ball	
4-4	00833-01	2	Spring	
4-5	01473-06	1	Circlip	
4-6	01242-06	1	Adj.needle	
4-7	00338-79	1	O-ring 5.28x1.78	
4-8	00338-27	1	O-ring 21.95x1.78	
4-9	01243-07	1	End piece	
4-10	00577-01	1	O-ring 5.1x1.6	
4-11	-		Shim stack	Spec card.
4-12	00641-01	1	Washer 8/10/2	
4-13	01244-07	1	Valve compression	
4-14	01245-01	1	Check valve	
4-15	01246-01	1	Wave washer	
4-16	01247-01	1	Check valve housing	

# SPL KA 6102

Figure 5 - Reservoir assy



Pos	Part No	Pcs	Description	Notes
5-1	00338-24	1	O-ring 40.87x3.53	
5-2	00302-06	1	Reservoir 44/ 80	
5-3	60191-10	1	Sticker "ÖHLINS" black	
5-4	00196-01	1	Sticker "Warning"black	
5-5	00338-04	1	O-ring 33x5	
5-6	00305-01	1	Reservoir piston 44	
5-7	00340-01	1	Teflon band	
5-8	00161-03		Reservoir top assy	
5-9	00338-04	1	O-ring 33x5	
5-10	00604-01	1	Rubber valve	
5-11	00561-03	1	Reservoir end cap 44	
5-12	00338-59	1	O-ring 4.5x1.5	
5-13	01050-01	1	Screw M4x5	
5-14	00329-01	1	Circlip	

Your Öhlins retailer:

Öhlins Racing AB  
Box 337, Moo5, Nongkhaka,  
Phanrong UdonABDI 20180  
Thailand

Phone: +66 (0)859923508  
Fax: +66 (0)83092589  
www.ohlins.com



[www.ohlins.com](http://www.ohlins.com)